



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

***Green Laboratório e Tecnologia Ltda
(Green Technology and Laboratory)
Paulo Setubal 156, Haurer, Curitiba, 81630110***

*and hereby declares that Organization is accredited
in accordance with the recognized International Standard:*

ISO/IEC 17020:2012

Whereby, technical competence has been confirmed for the associated scope supplement as a:

***Inspection Body Type - A
(As detailed in the supplement)***

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Tracy Szerszen
President

Initial Accreditation Date:

August 30, 2024

Issue Date:

September 19, 2025

Expiration Date:

December 31, 2027

Accreditation No.:


128969

Certificate No.:

L25-714

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based on a
continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjlab.com*



Certificate of Accreditation: Supplement

Green Laboratório e Tecnologia Ltda (Green Technology and Laboratory)

Paulo Setubal 156, Haurer, Curitiba, 81630110
Contact Name: Geise Marques Bezerra Phone: +55-413-209-9918

Accreditation is granted to the facility to perform the following conformity assessment activities:

INSPECTION TYPE	FIELD OF INSPECTION	RANGES OF INSPECTIONS	SPECIFICATION, STANDARD METHOD, OR TECHNIQUE USED	LOCATION OF ACTIVITY
Type A	Composite Wood Products	On site Inspection of Plywood Manufactures	CFR, Title 40, Chapter I, Subchapter R, Part 770-Formaldehyde Standards for Composite Wood Products	O
Type A	Composite Wood Products	On site Inspection of Plywood Manufactures	California Code of Regulations, Title 17, Section 93120 – Airborne Toxic Control Measure to reduce Formaldehyde Emissions from Composite Wood Products	O
Type A	Composite Wood Products	On site Inspection of Plywood Manufactures	PS 1-22 Structural Plywood	O

1. Location of activity:

Location Code

O

Location

Conformity assessment activity is performed onsite at the CAB's customer location

2. Inspection Type:

Inspection Type

A

An inspection body providing third party inspections

Definition